

Town of Wascott
PO Box 159, Wascott, WI 54890
Phone – 715-466-4252 Email – wascott@centurytel.net

QUOTE
For Sport Surfacing of Pickle Ball Court at Ballpark

Specifications

The Town of Wascott is soliciting quotes for a contractor to furnish and install sport surfacing/stripping for a Pickle Ball Court at the Town's Ballpark located at 16380 S Ballpark Road, Gordon, WI 54838.

Scope of Work: This project consists of layout and application of two coats of acrylic sport surfacing material, two coats of acrylic paint and acrylic line paint preceded with a primer base on a newly constructed pickleball court in accordance with product manufactures and USAPA guidelines. Colors shall be Royal Blue for playing court, green wrap and white lines.

Qualification of Bidder: The Town reserves the right to request each bidder to present evidence that he/she is normally engaged in purveying the type of product or equipment bid upon. No bids shall be considered from bidders who are unable to show that they are normally engaged in purveying the type of product or equipment specified in the bid proposal. The supplier shall make themselves thoroughly familiar with the contents of the notice before submitting their quote proposal.

Experience: The vendor must have sufficient experience and a demonstrated quality of workmanship on similar type projects. A minimum of five (5) year's experience is required as well as a minimum of five (5) projects completed.

Delivery: **Project to be completed on or before May 31, 2024.** If the supplier fails to complete the project as required in the time indicated, or subsequently agreed to, liquidated damages shall be paid to the Town in the form of a credit taken in the bid price of 1/10 of 1% per day except for good cause shown as determined by the Town.

Weather: The surfacing/painting shall be performed only when the surface is dry, when the atmospheric temperature is at, or above manufacturer's acceptable specifications, and when the weather is not foggy or extremely windy.

Surface Preparation: Immediately before application of the acrylic resurfacing material, the surface shall be power washed dried, and free from dirt, grease, oil, laitance or other foreign material which would reduce the bond between the paint and the pavement. The area to be surfaced shall be immediately cleaned by sweeping and blowing or by other methods as required to remove all dirt laitance and loose materials. Water is available at the sight.

Surfacing Application: Prior to the application of acrylic surfacing materials, the entire surface shall be checked for minor depressions or irregularities. After the court has been flooded and allowed to drain, any depressions that hold more than a nickel's thickness of water, shall be corrected by filling with court patch binder high strength acrylic latex bonding liquid.

Acrylic resurfacer shall contain only high grade, rounded silica sand, 40-70 mesh, at a rate of 12-16 lbs. per gallon concentrate. Acrylic resurfacer shall be applied by industry standard rubber bladed squeegee. A second coat shall be added to new asphalt in order to provide a uniform surface texture. The first coat shall be allowed to dry thoroughly prior to applying additional coats.

Two coats of sand-filled acrylic color concentrate shall be applied over entire surface area. One coat shall be a texture coat and the second coat as a finish coat following the manufacturer's directions and application rates. **The court area shall be Royal Blue in color and the out-of-bounds area shall be green in color and white lines.** Colors to be approved by the Town prior to ordering.

Layout of Markings: Markings shall be applied on the surface in accordance with the pickleball diagram provided below. Layout, tape, and hand-paint 2” wide playing lines using textured acrylic white line paint. Paint shall not be applied until the layout and the condition of the surface, has been approved by the Town representative.

Protection: After application of the paint, all markings shall be protected from damage until the paint is dry. All surfaces shall be protected from disfiguration by splatter, splashes, spillage or dripping.

Method of Payment: Payment shall be made at the contract unit bid per lump sum. This price shall be full compensation for furnishing all materials and/or for all labor, equipment, tools and incidentals necessary to complete the project. Invoice for work shall be paid within 30 days upon completion of project.

The following are surface dimensions and striping specifications:

<u>Project</u>	<u>Estimated Length</u>	<u>Estimated Width</u>	<u>Lump Sum Bid</u>
Pickle Ball Court to be constructed at the Town of Wascott Ballpark	60 feet	64 feet	
Royal Blue for Playing Court			
White Lines			
Green for out-of-bounds area			



The undersigned bidder, submitting this quote, agrees to perform the work, in accordance with all terms, conditions and requirements of the foregoing specifications.

Name of Company: _____

Contact Person: _____

Address: _____

Phone # _____ Email Address: _____

Signature _____ Date _____

* * * * *

General Information:

- 1) All quotes shall be placed in a sealed envelope and marked "Sport Surfacing-Pickle Ball Court." Quote specs may be obtained from the Clerk's Office or on the Town's website at www.townofwascott.org.
- 2) Mail quotes to Jeannette Atkinson, Town of Wascott, PO Box 159, Wascott, WI 54890. **Quotes are due by 12:00 Noon on Monday, February 26, 2024.**
- 3) **Quotes will be opened and awarded at the Regular Town Board Meeting on Tuesday, March 4, 2024 at 7:00 p.m.**
- 4) The Town reserves the right to reject any or all quotes.
- 5) Provide proof of liability insurance.
- 6) If you have any questions, contact Chuck Youngquist at 651-248-2484.